## Problem Set 1

Due September 15th at 4 pm in room 2-108.

Hand in parts 1, 2 and 3 separately. Put your name and whether you are registered for 18.100B or 18.100C on each part.

## Part 1

- 1. Let m and n be positive integers with no common factor. Prove that if  $\sqrt{m/n}$  is rational, then m and n are both perfect squares, that is to say there exist integers p and q such that  $m = p^2$  and  $n = q^2$ . (This is proved in Proposition 9 of Book X of Euclid's *Elements*).
- 2. Problem 6 from page 22.

## Part 2

3. Problem 7 from page 22.

## Part 3

- 4. Problem 8 from page 22. Students registered for 18.100C should write this problem up in LaTeX.
- 5. Let  $\mathbb{R}$  be the set of real numbers and suppose  $f : \mathbb{R} \to \mathbb{R}$  is a function such that for all real numbers x and y the following two equations hold

$$f(x+y) = f(x) + f(y),$$
 (1)

$$f(xy) = f(x)f(y).$$
(2)

**Claim:** f(x) = 0 for all x or f(x) = x for all x. Prove this claim using the following steps:

- (a) Prove that f(0) = 0 and that f(1) = 0 or 1.
- (b) Prove that f(n) = nf(1) for every integer n and then that f(n/m) = (n/m)f(1) for all integers n, m such that  $m \neq 0$ . Conclude that either f(q) = 0 for all rational numbers q or f(q) = q for all rational numbers q.

- (c) Prove that f is nondecreasing, that is to say that  $f(x) \ge f(y)$  whenever  $x \ge y$  for any real numbers x and y.
- (d) Prove that if f(1) = 0 then f(x) = 0 for all real numbers x. Prove that if f(1) = 1 then f(x) = x for all real numbers x.