A Fibonacci Arrary

Richard P. Stanley

February 17, 2024

Define a diagram $\mathfrak D$ as follows.

- (P0) Single vertex (or point or node) T at the top.
- (P1) Each vertex is connected by an edge to exactly two vertices in the row below.
- (P2) The diagram is planar, i.e., edges cannot cross.
- (P3) Given a vertex t and the two adjacent vertices u, v to t in the row below, complete this figure to a hexagon.


Step 1. Two vertices below T:



Define a diagram $\mathfrak D$ as follows.

- (P0) Single vertex (or point or node) T at the top.
- (P1) Each vertex is connected by an edge to exactly two vertices in the row below.
- (P2) The diagram is planar, i.e., edges cannot cross.
- (P3) Given a vertex t and the two adjacent vertices u, v to t in the row below, complete this figure to a hexagon.


Step 2. Two vertices below each of these:



Define a diagram $\mathfrak D$ as follows.

- (P0) Single vertex (or point or node) T at the top.
- (P1) Each vertex is connected by an edge to exactly two vertices in the row below.
- (P2) The diagram is planar, i.e., edges cannot cross.
- (P3) Given a vertex t and the two adjacent vertices u, v to t in the row below, complete this figure to a hexagon.


Step 3. Complete to a hexagon:



Define a diagram $\mathfrak D$ as follows.

- (P0) Single vertex (or point or node) T at the top.
- (P1) Each vertex is connected by an edge to exactly two vertices in the row below.
- (P2) The diagram is planar, i.e., edges cannot cross.
- (P3) Given a vertex t and the two adjacent vertices u, v to t in the row below, complete this figure to a hexagon.


Step 4. Add remaining vertices on bottom row:



Define a diagram $\mathfrak D$ as follows.

- (P0) Single vertex (or point or node) T at the top.
- (P1) Each vertex is connected by an edge to exactly two vertices in the row below.
- (P2) The diagram is planar, i.e., edges cannot cross.
- (P3) Given a vertex t and the two adjacent vertices u, v to t in the row below, complete this figure to a hexagon.


Step 5. Complete the two hexagons:



Define a diagram $\mathfrak D$ as follows.


- (P0) Single vertex (or point or node) T at the top.
- (P1) Each vertex is connected by an edge to exactly two vertices in the row below.
- (P2) The diagram is planar, i.e., edges cannot cross.
- (P3) Given a vertex t and the two adjacent vertices u, v to t in the row below, complete this figure to a hexagon.

Step 6. Add remaining elements on bottom row:




The Fibonacci array

Label each vertex with the number of chains from that vertex to \mathcal{T} . Equivalently, \mathcal{T} is labelled 1, and other vertices v are labelled by the sum of the vertex labels to which v is connected on the row above.



What are these numbers?




$$(1+x)(1+x^2)(1+x^3)(1+x^5)(1+x^8) =$$

$$1+1x+1x^2+2x^3+1x^4+2x^5+2x^6+1x^7+3x^8+2x^9+2x^{10}$$

$$+3x^{11}+1x^{12}+2x^{13}+2x^{14}+1x^{15}+2x^{16}+1x^{17}+1x^{18}+1x^{19}$$

Two consecutive rows



What is this sequence 3, 5, 3, 5, 5, 3, 5, 3?

Enter the golden mean

$$\phi = \frac{1 + \sqrt{5}}{2} = 1.61803398 \cdots$$
, the golden mean

Recall for rows 4-5 we got 3,5,3,5,3,5,3. Sequence is **symmetric** (or **palindromic**), so we need only describe first four terms c_1, c_2, c_3, c_4 .

Enter the golden mean

$$\phi = \frac{1 + \sqrt{5}}{2} = 1.61803398 \cdots$$
, the golden mean

Recall for rows 4-5 we got 3,5,3,5,5,3,5,3. Sequence is **symmetric** (or **palindromic**), so we need only describe first four terms c_1, c_2, c_3, c_4 .

$$\begin{array}{rclcrcl} c_1 & = & 1 + 2 \lfloor \phi \rfloor & = & 3 \\ c_2 & = & 1 + 2 \lfloor 2\phi \rfloor - 2 \lfloor \phi \rfloor & = & 5 \\ c_3 & = & 1 + 2 \lfloor 3\phi \rfloor - 2 \lfloor 2\phi \rfloor & = & 3 \\ c_4 & = & 1 + 2 \lfloor 4\phi \rfloor - 2 \lfloor 3\phi \rfloor & = & 5 \\ & \vdots & & & \vdots \\ c_n & = & 1 + 2 \lfloor n\phi \rfloor - 2 \lfloor (n-1)\phi \rfloor \end{array}$$